

Color 60 ppm

The smallest A3-capable scanner

Convenient
U-turn path



***High-speed compact scanner with
A3 scanning support***

COLOR
60
PPM

B/W, GRAY
60
PPM

Fast A4 scanning and versatile A3 scanning capabilities when necessary.
Speed and feed performance for reliable scanning in diverse applications.

Versatile functionality for your diverse scanning needs

An A3-compatible scanner for efficient, streamlined

The Canon image FORMULA DR-M1060 departmental scanner is a compact scanner equipped with a U-turn path design and is the smallest scanner in its class. It is capable of scanning A3 documents despite its desktop-scanner size, making it a cost-effective answer to your diverse scanning needs.

Convenient and versatile

Despite its compact desktop-scanner size, the DR-M1060 is capable of scanning A3 documents. Its unique U-turn path design allows documents to be fed and ejected from the front of the scanner, providing the end-user an efficient and convenient scanning operation.

U-turn path can be switched to a straight path for plastic cards, thick documents, and other types of documents that cannot bend.


High performance for high productivity

The DR-M1060 scanner offers a collection of invaluable image capturing and processing functions for various document types that optimize readability and minimize reprocessing.


The scanner is also equipped with advanced error detection functions that allow smooth recovery from errors, and prevent damage to documents by quickly detecting abnormal document movement.

All these features are designed to optimize workflows and improve productivity, delivering a reliable, efficient, and streamlined solution to all your document digitization needs.

Selectable U-turn and straight path options



U-turn path
for plain paper documents



Straight path
for thick paper documents/cards

Rapid scanning


	Simplex (ppm)		Duplex (ipm)	
	B&W	Color	B&W	Color
A4 (landscape)	60	60	120	120
A4 (portrait)	40	40	80	80
A3	30	30	60	60

(At 200dpi)

Innovative space-saving design




Conventional model



DR-M1060

Reliable feeding performance

The DR-M1060 is the first in the DR-series to be equipped with paper speed and skew sensors adjacent to the rollers. These sensors monitor the paper speed and skew angle as the document moves during scanning, enabling the unit to stop the document feeder immediately a problem is detected and to prevent damage to the document.



Bundled software

CapturePerfect



CapturePerfect is Canon's own scanning application designed to make scanning more efficient. The application is equipped with a user-friendly interface, support for a wide range of file formats, and a variety of functions for effectively using scanned data, such as creation of searchable and secure PDFs and Scan to Mail.

CaptureOnTouch



CaptureOnTouch, the dedicated software supplied with DR-series scanners, is a convenient tool that allows you to choose the most appropriate scanning method for your needs. Up to nine routine scan tasks can be registered as jobs, which can be accessed directly from the scanner's operating panel.


needs. ed business operations.

-turn path,
anner size,

DR-M1060



Support for a wide variety of media formats



User-friendly operating panel

The operating panel for basic operations, such as starting and stopping scans, is located on the front right of the scanner. The panel includes a DFR button to allow smooth recovery from feed stops that occur due to double feed. Up to nine jobs can be registered by connecting to the bundled CaptureOnTouch software.



High-quality image processing

Batch separation using blank sheets


Insert a blank sheet that will be recognized as a batch separator to automatically separate files.



Folio



Skip blank page




Deskew



Text orientation detection




Text enhancement




MultiStream™




Color dropout/enhancement




Automatic page size detection



Prevent bleed through/ remove background



Character emphasis



Options

Barcode module / 2D code module

These software modules allow barcode or 2D code recognition using the scanner driver.

The 2D code module supports a variety of 2D code types, including QR code.

Flatbed unit

A flatbed scanner unit can be connected to and used with the DR-M1060 scanner. The flatbed unit allows you to scan bound documents such as passports that are not supported on standard automatic document feeders, expanding possible applications.

Other Software



**eCopy® PDF
Pro Office**

eCopy PDF Pro Office

eCopy PDF Pro Office instantly creates 100% industry-standard, universally viewable PDF files, and converts static PDF documents into editable files. eCopy PDF Pro Office enables the flexibility of a universal document format for higher productivity and seamless information exchange.



Kofax VirtualRescan Basic

The leading image processing software, Kofax VRS Basic, improves readability for multi-size documents of varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness and contrast levels, and eliminate background noise and speckling.

DR-M1060 Specifications

Type	Desktop sheetfed scanner	
Document size	Plain paper	Width: 50.8 mm to 300 mm Length: 70 mm to 432 mm (You can scan documents up to 3,000 mm long by setting the scanner to the Long Document mode.)
		Business card Width: 50.8 mm to 55 mm Length: 85 mm to 91 mm
	Card	54 mm x 86 mm (ISO standard)
Document thickness and weight	Plain paper	U-turn path (page separation): 27 to 128 g/m ² (0.04 mm to 0.15 mm) U-turn path (non separation): 27 to 164 g/m ² (0.04 mm to 0.2 mm) Straight path: 27 to 255 g/m ² (0.04 mm to 0.3 mm)
		Business card 128 to 380 g/m ² (0.15 mm to 0.45 mm) (Use the straight path and place vertically.)
	Card	0.76 mm or less, 1.4 mm or less for the embossment (Use the straight path and place vertically.)
Scanning sensor	Contact image sensor	
Light source	LED	
Scanning side	Simplex/Duplex	
Scanning modes	Black and White, Error Diffusion, 256-level Grayscale, Advanced Text Enhancement, Advanced Text Enhancement II, 24-bit Color	
Scanning resolution ¹⁾	100 x 100dpi/150 x 150dpi/200 x 200dpi/240 x 240dpi/300 x 300dpi/400 x 400dpi/600 x 600dpi	
Scanning speed ²⁾	Grayscale	200dpi: 60 ppm (Simplex), 120 ipm (Duplex) 300dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Color	200dpi: 60 ppm (Simplex), 120 ipm (Duplex) 300dpi: 40 ppm (Simplex), 80 ipm (Duplex)
ADF capacity (80 g/m ² paper)	A4: 60 sheets A3: 25 sheets	
	Interface	
Interface		Hi-Speed USB 2.0
Other functions		Prescan, Staple detection, Addon, Double feed detection ignore
Dimensions (W x D x H)	When trays are closed	424 mm x 246 mm x 120 mm
	When trays are opened	424 mm x 440 mm x 210 mm
Weight (without AC adapter)	Approximately 6.1 kg	
Power supply (using AC adapter)	DC24V 1.3A	
Power consumption	Scanning: 32.5 W or less	
	In the sleep mode: 2.5 W or less With power switch OFF: 0.5 W or less	
Noise	Not more than 56 dB	
Operating environment	Temperature	10°C to 32.5°C
	Humidity	20% to 80% RH
Consumables	Exchange Roller Kit	

1) Primary scan lines x secondary scan lines

2) Conditions: Core i7 2.8 GHz CPU, 4 GB memory, A4 horizontal document size

Specifications are subject to change without notice.



Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg



Powered by
ADOBE® PDF LIBRARY



ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Bangladesh:

Flora Limited

Adamjee Court Annex-2 (4th Floor)
119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel: 880-2-716-2742-46 / 225
Fax: 880-2-955-0030
www.floralimited.com

J.A.N. Associates Ltd

House 25, Road 5, Dhanmondi R/A,
Dhaka-1205, Bangladesh
Tel: (880) 2 8611444 / 9660601
9664101 / 8124941
Fax: (880) 2 8610410

Brunei:

Interhouse Company

No. 5-7 Bunut Jaya Complex
Spg 574 Jalan Tutong BF1320
P.O. Box 423, Seri Complex
Bandar Seri Begawan BA 1779
Brunei Darussalam
Tel: 673-2-653-001
Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd

#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel: 855-23-428955
Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd

19F, The Metropolis Tower
10 Metropolis Drive
Hunghom, Hong Kong
Tel: 852-3191-2388
Fax: 852-2369-3800
www.canon.com.hk

India:

Canon India Private Limited

7th Floor, Tower B, Building #5
DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002
Haryana, India
Tel: 91-124-416 0000
Fax: 91-124-416 0011
www.canon.co.in

Indonesia:

P. T. Datascrip

Jl. Selaparang Blok B-15 Kav.9
Kompleks Kemayoran
Jakarta 10610, Indonesia
Tel: 62-21-6544515
Fax: 62-21-6544811 to 13
www.datascrip.com

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd

Block D, Peremba Square
Sajjana Resort Section U2,
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Tel: 60-3-7844 6000 / 7845 0055
Fax: 60-3-7844 6196 / 6198
www.canon.com.my

Maldives:

Sindi Company Pvt Ltd.

G. Manaam Building,
2/1 Neelofaru Magu,
Male' 20-129, Maldives
Tel: 960-333 4421
Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock

International Co. Ltd (Showroom)
Unit 7-8, Aung San Stadium (South Wing)
Mingalar Taung Nyunt Township, Yangon
Tel: +95 1243036 / +95 1243038
Fax: +95 13933438
Email: sales@mgr.com.mm

Nepal:

International Electronics Concern (P) Ltd

Kha 14, 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu, Nepal
P.O. Box 12588
Tel: 977-1-442 1991
Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd

8th Floor, Adamjee House
I.I. Chundrigar Road
Karachi 74000 Pakistan
Tel: 92-21-3241 (7659), (7737) or (7746)
Fax: 92-21-(3241 7747), (3242 0417) or
(3242 0418)
www.shirazitrading.com.pk

Philippines:

Canon Marketing (Philippines), Inc.

7th Floor and Ground Floor Commerce and
Industry Plaza. Campus Ave. Cor. Park Ave.,
McKinley Hill, Fort Bonifacio, Taguig City
Tel: 632-884-9000
Fax: 632-556-1456
www.canon.com.ph

Sri Lanka:

Metropolitan Computers (Pvt.) Ltd

12, Magazine Road Colombo 08,
Sri Lanka
Tel: 94-11-470 0200
Fax: 94-11-470 0267
www.metropolitan.lk

Thailand:

Canon Marketing (Thailand) Co. Ltd

No.98 Sathorn Square Office Tower,
21st - 24th floor, North Sathorn Road,
Silom, Bangkok, Bangkok 10500
Tel: 66-2-344 9999
Fax: 66-2-344 9960
www.canon.co.th

Vietnam:

Canon Marketing Vietnam

Company Limited

Level 10, President Place
93 Nguyen Du, Dist 1,
Ho Chi Minh City, Vietnam
Tel: (84-8) 38200 466
Fax: (84-8) 38200 477
E-mail: cvro_enq@canon.com.sg


Canon Marketing Vietnam

Company Limited, Hanoi Branch

11 Floor, Chanhvit Tower
117, Tran Duy Hung, Hanoi, Vietnam.
Cau Giay District, Hanoi
Tel: (84-4) 37711 677
Fax: (84-4) 37711 678

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageFORMULA and Business can be simple are trademarks of Canon and/or its affiliates. Other names may be the trademarks of their respective owners.



0186W825 © 2014 Canon Singapore Pte. Ltd.
All rights reserved. Printed in Singapore.